

## 4-SIDES REFRIGERATED DISPLAY WINDOWS VENTILATED G-LSC235

SKU: G-LSC235

### ADDITIONAL INFORMATION

<b>WORKING TEMPERATURE/OPERATING TEMPERATURE</b>	
<b>EXTERNAL DIMENSIONS</b>	<u>515 x 485 x 1650(h) mm</u>
<b>INTERNAL DIMENSIONS</b>	<u>473 x 405 x 1135(h) mm</u>
<b>CAPACITY</b>	<u>235</u>
<b>MAX. OPERATING TEMPERATURE</b>	<u>+28°C / 60%HR</u>
<b>TYPE OF COOLING</b>	<u>ventilated</u>
<b>DEFROSTING TYPE</b>	<u>off cycle defrost</u>
<b>TYPE OF COOLING GAS</b>	<u>R290</u>
<b>CONDENSED WATER EVAPORATION</b>	<u>automatic</u>
<b>TEMPERATURE CONTROL</b>	<u>electronic</u>
<b>INSULATION (mm)</b>	<u>doppio vetro</u>
<b>POWER CONSUMPTION (W)</b>	<u>260</u>
<b>VOLTAGE</b>	<u>230V / 50Hz</u>
<b>CONSTRUCTION MATERIAL</b>	<u>painted tin plate + plastic + glass</u>
<b>DOOR REVERSING</b>	<u>no</u>
<b>INTERIOR LIGHT</b>	<u>led</u>
<b>SUPPLIED ACCESSORIES</b>	<u>3 grids 400 x 410 mm</u>
<b>NET WEIGHT (Kg)</b>	<u>96</u>
<b>GROSS WEIGHT (Kg)</b>	<u>110</u>
<b>PACKAGING DIMENSIONS</b>	<u>575 x 545 x 1885(h) mm</u>



