

**4-SIDES REFRIGERATED DISPLAY WINDOWS VENTILATED G-VGP400R**

**SKU:** G-VGP400R

**ADDITIONAL INFORMATION**

|                                                  |                                         |
|--------------------------------------------------|-----------------------------------------|
| <b>WORKING TEMPERATURE/OPERATING TEMPERATURE</b> |                                         |
| <b>EXTERNAL DIMENSIONS</b>                       | <u>706 x 740 x 1800(h) mm</u>           |
| <b>INTERNAL DIMENSIONS</b>                       | <u>638 x 628 x 1180(h) mm</u>           |
| <b>CAPACITY</b>                                  | <u>408</u>                              |
| <b>MAX. OPERATING TEMPERATURE</b>                | <u>+32°C / 55%HR</u>                    |
| <b>TYPE OF COOLING</b>                           | <u>ventilated</u>                       |
| <b>DEFROSTING TYPE</b>                           | <u>off cycle defrost</u>                |
| <b>TYPE OF COOLING GAS</b>                       | <u>R290</u>                             |
| <b>CONDENSED WATER EVAPORATION</b>               | <u>automatic</u>                        |
| <b>TEMPERATURE CONTROL</b>                       | <u>electronic</u>                       |
| <b>INSULATION (mm)</b>                           | <u>doppio vetro</u>                     |
| <b>POWER CONSUMPTION (W)</b>                     | <u>330</u>                              |
| <b>VOLTAGE</b>                                   | <u>230V / 50Hz</u>                      |
| <b>CONSTRUCTION MATERIAL</b>                     | <u>stainless steel AISI 430 + glass</u> |
| <b>DOOR REVERSING</b>                            | <u>no</u>                               |
| <b>INTERIOR LIGHT</b>                            | <u>led</u>                              |
| <b>SUPPLIED ACCESSORIES</b>                      | <u>4 grids 526 x 360 mm</u>             |
| <b>NET WEIGHT (Kg)</b>                           | <u>180</u>                              |
| <b>GROSS WEIGHT (Kg)</b>                         | <u>210</u>                              |
| <b>PACKAGING DIMENSIONS</b>                      | <u>760 x 820 x 2040(h) mm</u>           |



