



**Catalogue**  
**FOOD SERVICE**  
**Chapter**  
**REFRIGERATION**

**Specific model**  
**CUN-22G 230V 1N 50Hz**

19089458

23/03/2022

**DENOMINATION:**

Freezer cabinet - Concept Gastronorm with 2 compartments and 2 door, at 50Hz.

**DESCRIPTION :**

- Structure built with AISI-304 stainless steel.
  - 60 mm, 40 kg/m<sup>3</sup> injected polyurethane insulation.
  - Embedded inner tray slides. Storage trays at 23 different levels 55 mm from each other.
  - Forced draught cooling system with hermetically sealed compressor.
  - Copper piping and aluminium flaps evaporator.
  - Digital display for electronic and digital control of temperature and defrosting.
  - Opened door delay alarm.
  - Self-closing and stay open doors. When opened less than 90° they close by themselves. When opened more than 135° they stay open.
  - Built-in drainage to get rid of waste liquids inside the unit.
  - Embedded bottom and curved panels inside for easy cleaning and maintenance.
  - Height adjustable stainless steel legs.
  - Working temperature: from 0 °C to +8 °C (refrigerators) and from -18 °C to -22 °C (freezers).
  - Tested in climatic class 4..
  - Inner LED lights with power switch (in refrigerated cabinets and now also in freezing units).
- Freezer cabinet  
 Visibility: vertical LED light for greater visibility.

**POSSIBLE OPTIONS :**

- Stainless Backing
- Wheels Kit (Factory Assembly)
- British plug
- Locks
- Pedal

**STANDARD OPTIONS :**

- Door frame resistance


**POSSIBLE ACCESSORIES :**

- REFRIGERATION
- ACCESSORIES
- GASTRONORM GRIDS

**SUPPLIED ACCESSORIES:**

- 12037958 GN-2/1 GRID made in Epoxi (650x530) 6

**DIMENSIONS**



X Width	1318 mm	X Gross width	1430 mm
Y Depth	842 mm	Y Gross depth	880 mm
Z Height	2040 mm	Z Gross height	2063 mm
Net Weight	227,0 kg	Gross Weight	240,0 kg
Net volume	2,264 m <sup>3</sup>	Gross volume	2,596 m <sup>3</sup>

**ELECTRICITY TECHNICAL SPECIFICATIONS**

Amperage (A)	4,4 A
Electric frequency	50Hz
Electric power	0,749 kW
Voltage	230V - 1N

**GAS TECHNICAL SPECIFICATIONS**

Gas type	R-290
----------	-------

**COLD TECHNICAL SPECIFICATIONS**

Annual elec. consumption	4793,00 kWh
Clasif. Energy efficiency	E
Climate class	4
Cooling gas load	138,000 g
Energy Efficiency Index	83,81 %
Frozen net.vol	874 L
Gross internal volume	1186 L
Model Type	Vertical cabinet
Power consumption 24h	13,27 kWh
Refrigeration power	0,907 kW

**CONNECTIONS TECHNICAL SPECIFICATIONS**

Single-phase 230V wiring	2X1+T-4A
--------------------------	----------

**OTHERS**

Condensation system	Vent.
---------------------	-------







**Catalogue**  
FOOD SERVICE  
**Chapter**  
REFRIGERATION




**Specific model**  
CUN-22G 230V 1N 50Hz

19089458



23/03/2022




SECTION B-B




SECTION A-A




E  
ELECT.



"R" OPTION



C  
132 < X < 192



D  
"PD" OPTION